| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|---|---------------------|---------|------------------|
| S1 | 199 | (divid\$3 near3 content near3 segment) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/27 16:30 |
| S2 | 8490 | (divid\$3 near3 content) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/27 16:30 |
| S3 | 56 | (divid\$3 near3 content) same (encrypt\$3) same key same stor\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/11/27 16:34 |
| S5 | 7 | (divid\$3 near3 content) same (encrypt\$3) same key same stor\$3 same partition | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/27 16:35 |
| S6 | 6 | (divid\$3 near3 content) same (encrypt\$3) same key same stor\$3 same distribut\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/11/27 16:37 |
| S7 | 666 | distribut\$3 near2 key same content with encrypt\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR ' | ON | 2006/11/27 16:37 |
| S8 | 93 | distribut\$3 near2 key same content with encrypt\$3 and (modif\$7 near3 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:09 |
| 59 | 27 | 60023" "6744905" "6816972" "6931 540" "6973578" "6981279" "706949 1").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 11:53 |

| S10 | 1 | S9 and (encrypt\$3 near3 data with stor\$3 with memory) same key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:31 |
|-----|-------|--|---|------|----|------------------|
| S11 | | watermark with encrypt\$3 with content with stor\$3 with memory with key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:31 |
| S12 | 17275 | ((\$3divid\$3 break\$3 segment\$3) near2 data) and ((modify\$3 insert\$3 obfuscat\$3 dilut\$3) near3 data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/11/28 10:33 |
| S14 | 856 | ((\$3divid\$3 break\$3 segment\$3) near2 (data content digital)) and ((modify\$3 insert\$3 obfuscat\$3 dilut\$3) near3 (data content digital)) and (encrypt\$3 near3 (data content digital)) and @ay<="2000" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:35 |
| S15 | 120 | ((\$3divid\$3 break\$3 segment\$3) near2 (data content digital)) and ((modify\$3 insert\$3 obfuscat\$3 dilut\$3) near3 (data content digital)) same (encrypt\$3 near3 (data content digital)) and @ay<="2000" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/11/28 10:35 |
| S16 | 82 | ((divid\$3 break\$3 segment\$3) near2 (data content digital)) and ((modify\$3 insert\$3 obfuscat\$3 dilut\$3) near3 (data content digital)) same (encrypt\$3 near3 (data content digital)) and @ay<="2000" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:41 |
| S17 | 13 | ((divid\$3 break\$3 segment\$3) near2 (data content digital)) and ((modify\$3 insert\$3 obfuscat\$3 dilut\$3) near3 (data content digital)) same (encrypt\$3 near3 (data content digital)) same (stor\$3 near2 (data content digital)) and @ay<="2000" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:49 |

Page 2

| S18 | 0 | ((divid\$3 break\$3 segment\$3) near2 (data content digital)) and | US-PGPUB; USPAT; USOCR; | OR | ON | 2006/11/28 10:43 |
|-----|-----|--|---|----|----|------------------|
| | | ((modify\$3 insert\$3 obfuscat\$3 dilut\$3) near3 (data content digital)) same (encrypt\$3 near3 (data content digital)) same (stor\$3 near2 (key)) and @ay<="2000" | EPO; JPO; DERWENT; IBM_TDB | | | |
| S19 | 3 | (interleav\$3 near2 key with (encrypt\$3 near2 (content data digital information))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:50 |
| S20 | 1 | ((insert\$3 partition interleav\$3) near2 key with (divid\$3 with encrypt\$3 near2 (content data digital information))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:53 |
| S21 | 2 | ((insert\$3 partition interleav\$3) near2 key same (divid\$3 with encrypt\$3 near2 (content data digital information))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:54 |
| S22 | 477 | (modif\$4 near2 (content data digital information) with (watermark saturat\$3 padding obfuscat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:55 |
| S23 | 229 | (modif\$4 near2 (content data digital information) near3(watermark saturat\$3 padding obfuscat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:57 |
| S24 | 0 | (modif\$4 near2 (content data digital information) near3 (watermark saturat\$3 padding obfuscat\$3)) same ((segment\$3 divid\$3) with encrypt\$3 near2 (content data digital information)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:58 |
| S25 | 1 | (modif\$4 near2 (content data digital information) near3 (watermark saturat\$3 padding obfuscat\$3)) same (encrypt\$3 near2 (content data digital information)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 10:59 |

| S26 | 975 | ((content data digital information) near3 (watermark saturat\$3 padding obfuscat\$3)) same (encrypt\$3 near2 (content data digital information)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 14:23 |
|-----|-----|--|---|------|----|------------------|
| S27 | 66 | ((content data digital information) near3 (watermark saturat\$3 padding obfuscat\$3)) same (encrypt\$3 near2 (content data digital information)) same (stor\$3 near2 encrypt\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 11:00 |
| S28 | 15 | ((content data digital information) near3 (watermark saturat\$3 padding obfuscat\$3)) same (encrypt\$3 near2 (content data digital information)) same (stor\$3 near2 encrypt\$3) and @ay<="2000" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 11:01 |
| S29 | 2 | "20020003881" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 14:12 |
| S30 | 3 | token with data with (assembly near language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 14:12 |
| S31 | 9 | ((content data digital information) near3 (watermark saturat\$3 padding obfuscat\$3)) same (encrypt\$3 near2 (content data digital information)) and (assembly near language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 14:28 |
| S32 | 2 | obfuscat\$3 with content with (assembly near language) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 14:29 |
| S33 | | ((conceal\$4 obfuscat\$3 cover\$4) with content with (assembly near language)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR · | ON | 2006/11/28 14:30 |

| 534 | 27 | ((conceal\$4 obfuscat\$3 cover\$4) with (assembly near language)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 14:30 |
|-----|----|---|---|----|----|------------------|
| S35 | 15 | ((conceal\$4 obfuscat\$3 cover\$4) with (data content digital information file document) with (assembly near language)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/28 14:31 |
| S36 | 2 | "20020003881" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/30 11:18 |